

V0 IMS: Order Form




— Nei	scape: EOSDIS VO: St	lep 2: Order Form	· [
File Edit View Go Sonkmarke Options Directory	Window		Help
	題		N
Lacotton: Dttp://herp.gafc.nees.gov.00/iss-bin/	psh/oph-ias.ogi/u308565		
EOSDIS Skepping Cort:			E
Version 0 Step 2: Order Form			
Classic Co. Street Street	Allerine and Miller Information	s on the ferm below, then disk on the Go to I	Dar D. Bracker, Order Street, Land
Sign in togged in an arrangement of the page of the pa	e. You can then seview your cole	r, and place it if you are outletied.	Help of the active closer community (1777)
Select criteria leads to search	SE OH	Order Options: 1 Approx. cost: US\$ 0.00	
View search	OR	Buda centers: 08PC	
110110000000000000000000000000000000000	entimated another your value. If contled another be higher	iumotios was aperaliable the sease of the products pro	anguested (in the enail colum), or if there are
View results			
(Completed) (Order data) (Order data) (Order data)	ure shipping and/or billing address	un to he different than your contest addrson,	rick on the Thomps Shipping Silling
in cart @ IMPORTANT: If you	order is going to ASF, all Seld	is (Noth cod and black lowering) must be til	led out for a recognistic softer. When this
Sign out	is artise will change as well.		_
Your affiliation:			
Type: Greatment : Cab	goeps TDA 🗆		
Halp			. 1
Chack Color Status User Profession Vour contact address:			
Destropper Title: First same:	Inhibits Lecturers		
1 (1000)	1 1		
Deputations	Internet could also	****	
į.			
Address	<u> </u>		
	-		
Gig: Statesty	relect: Sipportal code:	Country:	
I I	Track Department	I.	
Please I	Fan I		
Shipping address: Same	a centact address (above)		
Billing address: Same as			
20			0

V0 IMS: Order Confirmation




	Netscape: EOSDIS V0: Order Submitted!
Edit View Co B	belinatis Option Streibry Window
Om Distance Details De	Mana Research Strate Research Strate Research Strategy
EOSDIS Version 0	Shopping Cort: Order Submitted!
Sign in Logged in an guest Select criteria Heady to search	Your tracking number Your order has been enterined to the selector data content, and a copy of the <u>phigging monity</u> has been smalled to the account promitives hitc.com . The following tracking internation is lated below: The Web Generaly's order tracking number and the DAAD(s) internal tracking number.
View search Search completed	Thering number: 916317100-21622-P1
View results i dt/10 gn completed	Providental autore title information immediately, as sharpen and faller up as year andar.
Order data 0 60/1 on in cart Sign out	2. Initial responses to your order Ataryou request was subscited, I get back the following responses from the various dates contains:
Halo	Appliage other than a Tacouss' status for a given data center means that your order did not go through to that data center. Hopefully, the comments well endoate why. To see the final recumentation status stress, go hope.
Comments Charle Order States User Preferences User Sepport	3. Contact points Again, you shall serve the "tracking number" immediately, so that you can billion up as your order. If you don't receive a response from the data centers within 2 working days, places billion up by matering them directly. Any context information I was able to close will be lated below.
	Control name User Services Organization O midwel DAAG
	Address MASA Ge Maril Space Plight Center Cells WE 2 Generalist, MD 2071 USA
	Phone (501 - 614 - 5224 Fac: 105 - 514 - 5258 Employed State and a pre-
	Consequently (COSSE) (Color of the State of 1.1 / State of the State o
#s	Oil contribution is evolvin.

Update User Contact Log



- Show progress or resolution of the contact
- User Contact Log remains open until the request is completed
- User Contact Log record can be modified several times before the request is completed
- For each modification, the log displays:
 - the operator that made the modification
 - the date and time of the modification

Cancel an Order



- Create a User Contact Log record
- Validate the user
- ECS Order Tracking (New)
- Cancel Order (New)
- Update User Contact Log

ECS Order Tracking Screen



-	ECS Data (Order Tracking	g		4
File Edit					Hel
Query by: User Name: Name: Order ID: Request ID:	Qavey	Hirst Name:			
Filter by Status: Pending Operator Intervention Staging		✓ Aborted	✓ Terminated ✓ Prep for Distribution ✓ SDSRV Staging	⊠ 5	Select All Deselect All
Order List Order ID Home DAAC 20 ECS-EDC 19 ECS-EDC 18 ECS-EDC CI Find [Request List Order ID Request ID HO 18 12 EC	04/13/98 19:36:00.000 04/13/98 19:15:00.000 04/10/98 19:15:00.000	Order Status Source Media Form	Size 122880 139264 122880	Date F	Query Order Delete Order Update Order Shipping Information Query Request Delete Request Update Request

Order Tracking



- Order Tracking tool permits several query options
 - User Name (multiple hits bring Verify User Selection)
 - Order ID (unique ID assigned when order is placed)
 - Request ID (for large orders, Data Server may partition the order and assign more than one Request ID)
- Number of orders displayed can be reduced by use of status filters

PendingWaiting for Shipment

Operator Intervention – Shipped

StagingAborted

TransferringCanceled

Not foundTerminated

Click on *Delete Order* button to cancel a highlighted order

ECS Subscriptions



- Register new events
 - Stored in subscription server database
 - Made available through Advertisement Service
- Accept subscriptions
 - Accept new subscription requests that specify an action and an event to initiate the action
 - Accept subscription update requests
 - Validate subscription requests
- Process subscriptions upon event notification
 - Identify all subscriptions to the specified event
 - Process the actions defined in the subscriptions
 - E-mail notification
 - Direct program interface to other service providers

Subscription Editor: Initial Screen



-						ECS Subscription Service			· 🗆
file									Help
suth	scriptions	even	,)						
						Subscriptions			400
							Current filter All		
٠.	Sübscriptio	an Indonesia	ation						
100				<u> </u>					ES.
			Requester		Expiration		Email	Qualifiers Action	
	ID	ID 10	ID	Date	Date	address	DAP_insert_TS1_4PL		
	2	10	dps			dps@t1ins02u.ecs.nasa.gov			
	6	25 25	dps Ipage · · ·		08/11/99 08/13/99		FTP PUSH for AST_08 AST_08 insert in TS1	γ	- 1
	13	72	SubsMgr			ipage	Subscription Notification:	, , , , , , , , , , , , , , , , , , ,	
	14	78		08/19/98			Subscription Notification:		1
	15	37		08/21/98			Subscription Notification:		
	16	69		08/21/98			Subscription Notification:		
	17	72		08/21/98			Subscription Notification:		
	18	78	SubsMgr				Subscription Notification:		
100	19	37		08/21/98			Subscription Notification:		
	20	69	100	08/21/98			Subscription Notification:		
	21	. 72		08/21/98			Subscription Notification:		
	22	78 .	SubsMgr	08/21/98	08/21/99		Subscription Notification:		
	24	37 -	SubsMgr	08/27/98	08/27/99		Subscription Notification:		
	EI_					<u> </u>			
	Find								1.5
								1.4	
			Refresi	h Subscript	ions		Filter Subscriptions.		
		Ad Subscrip			Edit Subscription	n	Delete Subscription	Delete Multiple Subscriptions	
									1,500
1.									


Subscriptions: Add Subscription



_	Add/Edit Subscription	
	·· <u>···································</u>	
Event ID:	[o	Browse Events
Event Description:		
User ID:	Pund	user Profile
Email Address:	Description of the second of t	
Email Text:	Domest	
Start Date:	Ĭ10 / Ĭ13 / Ĭ1998 A	
Expiration Date:	110 / 113 / 11998 A	
Actions	Qualifiers	
Submit	Cancel	

Subscriptions: Browse Events






Subscriptions: Actions Screen




Actions	
Acquire Information	
Ftp Push 8 MM tape	
User Profile:	
User Name:	
User Password:	
Verify Password:	
Host Name:	
Destination:	
OK Cancel	


Subscriptions: Qualifiers Screen







Data Dictionary Maintenance



- V0 Requests to ECS are sent to ECS V0 Gateway
- ECS V0 Gateway reads the ECS Data Dictionary containing the terminology mapping information
- V0 client must have ECS Valid terminology for searchable attributes

sourcecampaign

sensorprocessing level

- geophysical parameter - geographical coordinates

data set nametemporal intervals

data center ID

- EOSDIS V0 IMS has a two-week valids update cycle
- Tool permits mapping (must be done when ESDT is loaded or reloaded) and export of valids

Data Dictionary Maintenance Tool




		Da	ta Dio	ctionary Mainte	nance Tool			
Selected Edi	it							He
Modify Data	Import Valids File	Map Attributes/ Keywords		Export Valids File	Créate Multiplé Collection	Release Collection		
. Select Data				3. Select M	appable Data Type			
ata Type : 🥬	llection		٧	Data Type			Ψ	
Selection Cri	teria			Selection	Criteria			
ECSAIRIBUTES AMIATTE AMIATTES AMIATTES AMIATTES AMIATTES AMIATTES AMIDIAGI AMIDIAGI AMIDIAGI AMIEPHNO	Name Status 1 1 1 1 1 1 1 1 1 1 1 1 1							
Find]	d Data Type Instanc	De Undo		Ell Find				- 12
	Delete			Ellind j				12

44 625-CD-013-002

Data Dictionary Maintenance Tool (Cont.)





Data Dictionary Maintenance Tool (Cont.)




Data Dictionary Maintenance Tool]- 🗆
File Selected Edit	Help
Modify Valids Valids Attributes/ Valids File Keywords File Export Valids File Collection Collection	
Get list of collections Selection Criteria	
2. Select collections to export	
Collections	
Short Name Version ld Status	8
AMIATTE 1 AMIATTE 1 AMIATTNO 1 AMIATTNO 1 AMIDIAGI 1 ASPODODO 1 ASPODODO 1	
Find []	123
3. Export collections to file	
File name for export : Or Browse	
Save Cancel	

Data Dictionary Maintenance Tool (Cont.)



Data Dictionary Maintenance Tool lie Selected Edit	Hel
Modify Data File Keywords File Collection Collection	ile
1. Load Valids File. File Name : Aisr/dict/words or Browse	
Checking valids file /usr/dict/words- Error: syntax error at 10th, line 1 1. Fatal Error: 1, line 1: Problem: No valid items in file Possible cause: Brong file type You must fix this problem before proceeding. 1 problems: O warnings, O errors, 1 fatal errors It is definitely NOT safe to inject the file. The inject option will be disabled. Get the file fixed and try again later. Remember, the File should be returned to its source to be fixed, rather than edited locally. 2. Warning 1, line 1807: Problem: Wissing. Possible cause: '* omitted This problem can probably be ignored. 1. Warning 2, line 3584:	
3. Save Syntax Errors. File Name: or Browse	Save
Available Collections. Available Collections	
5. Update Database. Update Cancel	

Cross-DAAC Referral



Referral to another DAAC

- User Contact Log record document the request
- User Profile verify user registration
- Data Search and Order tool locate the requested data
- Forward original request to the other DAAC
- Add explanatory information
- Attach preliminary search as a desktop object
- Attach original Contact Log Id record
- Send the requester E-mail explaining that the request for help has been forwarded


Cross-DAAC Referral (Cont.)



Receive referral from another DAAC

- User Contact Log record document receipt of the referral
- User Profile verify for yourself that the requester is a registered user
- Data Search and Order tool locate the requested data
- Review the E-mail verify that the search is complete or add search parameters, contacting the user if more information is necessary
- Submit the order
- Update User Contact Log record indicate completion of order; close the record

Cross-DAAC Tracking



- Tracking to another DAAC
 - User Contact Log record: document the request
 - User Profile: verify that the requester is a registered user
 - Query User Contract Log: search for closed record concerning user request

Cross-DAAC Tracking (Cont.)



- Responding to tracking request from another DAAC
 - User Contact Log record update record to document current status check
 - User Profile verify that requester is still registered
 - ECS Order Tracking tool check on status of user's data request
 - Telephone or E-mail to the user provide status of data request
 - Telephone or E-mail to the original DAAC permit closing of User Contact Log record there
 - User Contact Log record update record to document that status was provided

Objectives and Importance



- Overall: Proficiency in providing support to ECS users of the Data Acquisition Request (DAR) tool
 - Describe the DAR tool and its purpose
 - Create and submit a DAR, including instrument settings, data quality, transmission, viewing geometry, spatial requirements, and temporal requirements
 - Create and submit a query to the XAR Database
- Lesson topic helps prepare EDC User Services representatives to assist users in application of the DAR tool for preparing ASTER Data Acquisition Requests

Data Acquisition Requests



- DAR: a user request submitted through the ECS Client to schedule data acquisition by the Advanced Spaceborne Thermal Emission and Reflection (ASTER) Radiometer
 - submitted to the ASTER Ground Data System (GDS) in Japan
 - the GDS controls scheduling of the ASTER instrument
 - collected data are provided as level 1A and level 1B data to the EROS Data Center (EDC)

DAR Initial Screen



	DAR Tool	
<u>F</u> ile <u>E</u> dit <u>V</u> iew <u>O</u> ptions		<u>H</u> elp
Summary Create/Edit Modify Request Request		
Project Folders:	Parameters:	
Current Project		
□ TestDAR050598_1 □ DARTest_MD_05061998		
<u> </u>		
Conv parameters from	√	
Copy parameters from highlighted xAR file		
Copy Parameters		

54

DAR Create/Edit Request Screen




DAR Tool	
<u>F</u> ile <u>E</u> dit <u>V</u> iew <u>O</u> ptions	<u>H</u> elp
Summary Create/Edit Modify Request	
xAR Title: Maximum Cloud Coverage (%): Investigation Class: Lighting Requirements: Scientific Objective:	Basic Features (Required): XAR Information Spatial Requirements Temporal Requirements
Telescope Selection: VNIR, SWIR, & TIR - Show Gain Settings: • Yes No Gain Settings: Visible and Near Short Wave Infrared (VNIR): Infrared (SWIR):	Advanced Features (Optional): Advanced Viewing Geometry
Band 4 Band 7	Resource Estimate:
0.76-0.8μm Apply Cancel	Submit

DAR Spatial Requirements Screen: Pan & Zoom




56



DAR Temporal Requirements Screen






DAR Advanced Viewing Geometry Screen



Advanced Viewing Geometry	<u>- </u>
Use Specified Look Angle: ♦ Yes ♠ No Specified Look Angle (in degrees, +/- relative to madir): ▼	
Use Specific View Swath: ♦ Yes ♦ No	
Specific View Swath ID (1 to 48): [] ▼	
Acceptable Sun Angle Range: Minimum Angle (in degrees): Acceptable Sun Angle 190 100	
Acceptable Look Angle Range:	
"+" = Satellite Right "-" = Satellite Left	
Minimum Angle (0 to +/- 8.55): 0	
Apply Dismiss Help	-

DAR Special Requests Screen



→ Special Requests → □							
	Ground Campaign:	♦ Yes	♦ No				
Implem	entation Urgency:	◆ Normal	♦ Urgent				
Re (equester Comments:)······(]		
<u> </u>							
Request for ♦ Yes ♠ No Request for ♦ Yes ♠ No Expedited Data: Direct Downlink:							
Just [.]	ification f	or Expedited	Data:	Justification	for Direct Downlink:		
```						]	
l						-	
Г	A 1		Dáá	1			
L	Apply		Dismiss	·]	Help		


### **DAR Resource Estimate Screen**



Ŀ	Resource Estimate Algorithm					
	i					
R	Area x (Total # of Repeats) Resource Estimate					
	for Current DAR Scene Area (3600 sq. km.)					
	Result: 5220.487088					
	ок					

## **DAR ID Dialog**





## **DAR Modify Request Screen**



-	DAR Tool	•
<u>F</u> ile <u>E</u> dit <u>V</u> iew <u>O</u> ptions		<u>H</u> elp
Summary Create/Edit Request	Modify Request	
XAR ID:	Maximum Cloud Coverage (%): Requester Comments:	
None	( 20% <b>-</b>	
Vser ID: SECS_USEBID	xAB Status:  ♦ Active ♦ Suspended	
File Edit View Options  Summary Create/Edit Request  XAR ID:  None  User ID:  \$ECS_USERID	Subatt	